Amendments to the specification:

Please replace the paragraph at page 1, line 5 with the following rewritten paragraph:

--This application is a continuation in part of US nonprovisional application No 10,453,175 filed June 3, 2003 under 35 U.S.C 120 which claims benefit to US provisional application No. 60/386,312 filed June 6, 2002.--

Amendments to the Claims:

Listing of Claims as amended:

24. (New) A compound according to general formula (I):




(I)

wherein:

**$R_1$** is

(a) phenyl or heteroaryl selected from furanyl, thienyl, pyridyl, pyrrolyl, imidazolyl and benzofuranyl, optionally substituted with one to two $R_3$,

(b) heterocyclyl selected from 1-piperidinyl, 1-piperazinyl, 1-pyrrolidinyl and 4-morpholinyl, optionally substituted with one to two groups selected from $C_{1\text{-}6}$alkyl, -$CO_2C_{1\text{-}5}$alkyl, phenyl, benzyl, -OH and -C(O)heteroaryl, wherein the heteroaryl is selected from furanyl, thienyl, pyridyl and pyrrolyl,

(c) $R_6(CH_2)_mO$-,

(d) $R_6OCH_2$-,

(e) $R_6(CH_2)_mNH$-,

(f) $R_6(CH_2)_p(CH=CH)_m$- or pyridyl$(CH_2)$p(CH=CH)m-

(g) $C_{1-6}$alkyl, optionally partially or fully halogenated and optionally substituted with one to two $R_9$,

(h) $C_{3-6}$ cycloalkyl

(i) $C_{1-8}$alkoxy, optionally partially or fully halogenated and optionally substituted with one to two $R_9$,

(j) $C_{1-8}$alkyl$S(O)_n$-, optionally partially or fully halogenated and optionally substituted with one to two $R_9$,

(k) $-N(R_4)(R_5)$, or

(l) –C(O)NHR', wherein R' is $R_6$, pyridyl;

**$R_2$** is

(a) heterocyclyl$(CH_2)_m$- wherein said heterocycle is selected from piperidinyl, piperazinyl, morpholinyl, azepanyl, pyrrolidinyl, 1,4-diazacycloheptanyl, azepanyl, 2,5-diazabicyclo[2.2.1]heptanyl, oxazepanyl and thiomorpholino and is optionally substituted with one to three $R_7$,

(b) heterocyclyl$CH_2O$- wherein the heterocyclyl is selected from 1-piperidinyl, 1-piperazinyl, 4-morpholinyl and 1-pyrrolidinyl, optionally substituted with $C_{1-6}$alkyl;

**$R_3$** is chosen from $C_{1-6}$alkyl, $C_{1-6}$alkoxy, hydroxy$C_{1-6}$alkyl, halogen, -CN, $-CO_2H$, $-CO_2C_{1-6}$alkyl, $-S(O)_nC_{1-6}$alkyl, $-NO_2$, -OH, $-CF_3$, $-N(R_4)(R_5)$, $-NHC(O)NHC_{1-6}$alkyl, $-C(O)N(R_4)(R_5)$ and phenyl optionally substituted with halogen, $C_{1-6}$alkyl, -CN or $C_{1-6}$alkoxy;

**$R_4$** and **$R_5$** are independently selected from H, $C_{1-6}$alkyl, $-C_{0-3}$alkyl$C_{3-6}$cycloalkyl, $-C_{0-3}$alkylheteroaryl selected from the list consisting of benzothiophenyl, furanyl, tetrazolyl, pyridyl , $-C_{0-3}$alkylheterocyclyl selected from the list consisting of piperdinyl and morpholinyl, $-C_{0-3}$alkylphenyl$(R_6)$,-2-methylcyclohexyl, $-C(O)C_{1-6}$alkyl, $-SO_2C_{1-6}$alkyl, phenyl, pyridyl, piperidinyl, phenylethyl optionally substituted with hydroxymethyl, $(CH_3)_3COC(O)$-, $-CH_2CO_2Me$, $-C_{1-6}$alkylOH, $-C_{1-6}$alkyl$NMe_2$, or alternatively R4 and R5

with the atom to which they are attached can be fused together to form a heterocyclic ring which may be substituted with an OH group;

$R_6$ is a phenyl group optionally substituted with one to three groups selected from halogen, $C_{1-6}$alkyl, -CN, $-CO_2C_{1-6}$alkyl, $-CO_2H$, $-C(O)NR_4R_5$, $-CH_2N(R_4)(R_5)$,$-SO_2N(R_4)(R_5)$,

$-NHSO_2C_{1-6}$alkyl, $-SO_2C_{1-6}$alkyl, $-NO_2$, -OH, $-NH_2$, $-CF_3$, $OCF_2$, $OCF_3$, OBenzyl, $C_{1-6}$alkoxy, a heteroaryl group selected from the list consisting of pyridyl, pyrazine, imidazolyl and thiazolyl which may be further substituted by an $R_4$ group, phenyl, a heterocyclic group, or alternatively when R6 is phenyl two of its adjacent carbon atoms may be bridged by an $-OCH_2O-$ or an $-OCF_2O-$ group, or $R_6$ is $C_{3-6}$cycloalkyl, $-CH_2OH$, naphthalene-2-yl, naphthalene-1-yl or 2-thienyl;

$R_7$ is $R_6CH(OH)CH_2NH-$, $C_{1-6}$alkyl

$R_9$ is selected from oxo, -OH, $-NR_4R_5$, $-CO_2H$ and $C_{1-6}$alkoxy;

**m** is 0 or 1;

**n** is 0, 1 or 2; and

**p** is 0, 1, 2 or 3

or pharmaceutically acceptable salts pharmaceutically acceptable salts, isomers or tautomers thereof.

25. The compounds of general formula I of claim 24 wherein:

$R_1$ is

(a) phenyl or heteroaryl selected from furanyl, thienyl, pyridyl, pyrrolyl, imidazolyl and benzofuranyl, optionally substituted with one to two $R_3$,

(b) heterocyclyl selected from 1-piperidinyl, 1-piperazinyl, 1-pyrrolidinyl and 4-morpholinyl, optionally substituted with one to two groups selected from $C_{1-6}$alkyl, -$CO_2C_{1-5}$alkyl, phenyl, benzyl, -OH and -C(O)heteroaryl, wherein the heteroaryl is selected from furanyl, thienyl, pyridyl and pyrrolyl,

(c) $R_6(CH_2)_mO$-,

(d) $R_6OCH_2$-,

(e) $R_6(CH_2)_mNH$-,

(f) $R_6(CH_2)_p(CH{=}CH)_m$- or pyridyl$(CH_2)$p(CH=CH)m-

(g) $C_{1-6}$alkyl, optionally partially or fully halogenated and optionally substituted with one to two $R_9$,

(h) $C_{3-6}$ cycloalkyl

(i) $C_{1-8}$alkoxy, optionally partially or fully halogenated and optionally substituted with one to two $R_9$,

(j) $C_{1-8}$alkyl$S(O)_n$-, optionally partially or fully halogenated and optionally substituted with one to two $R_9$,

(k) $-N(R_4)(R_5)$, or

(l) –C(O)NHR', wherein R' is $R_6$, pyridyl or $-CH_3$;

**$R_2$** is piperdinyl$(CH_2)_m$- optionally substituted with one to three $R_7$,

**$R_3$** is chosen from $C_{1-6}$alkyl, $C_{1-6}$alkoxy, hydroxy$C_{1-6}$alkyl, halogen, -CN, $-CO_2H$, $-CO_2C_{1-6}$alkyl, $-S(O)_nC_{1-6}$alkyl, $-NO_2$, -OH, $-CF_3$, $-N(R_4)(R_5)$, $-NHC(O)NHC_{1-6}$alkyl, $-C(O)N(R_4)(R_5)$ and phenyl optionally substituted with halogen, $C_{1-6}$alkyl, -CN or $C_{1-6}$alkoxy;

**$R_4$** and **$R_5$** are independently selected from, $-C_{0-3}$alkylheteroaryl, $-C_{0-3}$alkylheterocyclyl, $-C_{0-3}$alkylphenyl($R_6$),-2-methylcyclohexyl, $-C(O)C_{1-6}$alkyl, $-SO_2C_{1-6}$alkyl, phenyl, pyridyl, piperidinyl, phenylethyl optionally substituted with hydroxymethyl, $(CH_3)_3COC(O)$-, $-CH_2CO_2Me$, $-C_{1-6}$alkylOH, $-C_{1-6}$alkyl$NMe_2$, or alternatively R4 and R5 with the atom to which they are attached can be fused together to form a heterocyclic ring which may be

substituted with an OH group, provided that $R_4$ or $R_5$ are not methyl or benzyl and $R_4$ and $R_5$ are not both H;

$R_6$ is a phenyl group substituted with one to three groups selected from $C_{1-6}$ alkyl -CN, -$CO_2H$, -$CH_2N(R_4)(R_5)$,-$SO_2N(R_4)(R_5)$, -$C(O)NR_4R_5$, $NHSO_2C_{1-6}$alkyl, -$SO_2C_{1-6}$alkyl,,-$CF_3$, $OCF_2$, $OCF_3$, OBenzyl, $C_{2-6}$alkoxy, a heteroaryl group selected from the list consisting of pyridyl, pyrazinyl, imidazolyl and thiazolyl which may be further substituted by an $R_4$ group, phenyl, a heterocyclic group, or alternatively when R6 is phenyl two of its adjacent carbon atoms may be bridged by an –$OCH_2O$- or an –$OCF_2O$- group;

$R_7$ is $R_6CH(OH)CH_2NH$-, $C_{1-6}$alkyl

$R_9$ is selected from oxo, -OH, -$NR_4R_5$, -$CO_2H$ and $C_{1-6}$alkoxy;

**m** is 0 or 1;

**n** is 0, 1 or 2; and

**p** is 0, 1, 2 or 3.

26. The compounds of general formula I of claim 24 wherein:

$R_1$ is $C_{1-6}$alkyl, optionally partially or fully halogenated and optionally substituted with one to two $R_9$;

$R_2$ is piperdinyl$(CH_2)_m$- optionally substituted with one to three $R_7$;

$R_3$ is chosen from $C_{1-6}$alkyl, $C_{1-6}$alkoxy, hydroxy$C_{1-6}$alkyl, halogen, -CN, -$CO_2H$, -$CO_2C_{1-6}$alkyl, -$S(O)_nC_{1-6}$alkyl, -$NO_2$, -OH, -$CF_3$, -$N(R_4)(R_5)$, -$NHC(O)NHC_{1-6}$alkyl, -$C(O)N(R_4)(R_5)$ and phenyl optionally substituted with halogen, $C_{1-6}$alkyl, -CN or $C_{1-6}$alkoxy;

$R_4$ and $R_5$ are independently selected from, -$C_{0-3}$alkylheteroaryl, -$C_{0-3}$alkylheterocyclyl, -$C_{0-}$

$_3$alkylphenyl($R_6$),-2-methylcyclohexyl, -C(O)$C_{1-6}$alkyl, -$SO_2C_{1-6}$alkyl, phenyl, pyridyl, piperidinyl, phenylethyl optionally substituted with hydroxymethyl, $(CH_3)_3COC(O)$-, -$CH_2CO_2Me$, -$C_{1-6}$alkylOH, -$C_{1-6}$alkyl$NMe_2$, or alternatively R4 and R5 with the atom to which they are attached can be fused together to form a heterocyclic ring which may be substituted with an OH group, provided that $R_4$ or $R_5$ are not methyl or benzyl and $R_4$ and $R_5$ are not both H;

**$R_6$** is a phenyl group substituted with one to three groups selected from $C_{1-6}$ alkyl -CN, -$CO_2H$, -$CH_2N(R_4)(R_5)$,-$SO_2N(R_4)(R_5)$, -C(O)$NR_4R_5$, $NHSO_2C_{1-6}$alkyl, -$SO_2C_{1-6}$alkyl,,-$CF_3$, $OCF_2$, $OCF_3$, OBenzyl, $C_{2-6}$alkoxy, a heteroaryl group selected from the list consisiting of pyridyl, pyrazinyl, imidazolyl and thiazolyl which may be further substituted by an $R_4$ group, phenyl, a heterocyclic group, or alternatively when R6 is phenyl two of its adjacent carbon atoms may be bridged by an –$OCH_2O$- or an –$OCF_2O$- group;

**$R_7$** is $R_6CH(OH)CH_2NH$-, $C_{1-6}$alkyl

**$R_9$** is selected from oxo, -OH, -$NR_4R_5$, -$CO_2H$ and $C_{1-6}$alkoxy;

**m** is 0 or 1;

**n** is 0, 1 or 2; and

**p** is 0, 1, 2 or 3.

27. A compound selected from the list consisting of:

| | | |
|---|---|---|
| | 3-Amino-6-{4-[2-(4-benzylcarbamoyl-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |

| | | |
|---|---|---|
| | 3-Amino-6-[4-(2-hydroxy-2-naphthalen-2-yl-ethylamino)-piperidin-1-yl]-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(4-cyano-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(4-methanesulfonyl-phenyl)-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-[4-((S)-2-hydroxy-2-phenyl-ethylamino)-piperidin-1-yl]-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-[4-((R)-2-hydroxy-2-phenyl-ethylamino)-piperidin-1-yl]-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |

| | | |
|---|---|---|
| | 3-Amino-6-{4-[2-(4-fluoro-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(2-fluoro-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(3,4-difluoro-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(4-difluoromethoxy-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(4-trifluoromethoxy-phenyl)-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |

| | | |
|---|---|---|
| | 3-Amino-6-{4-[2-(3,5-difluoro-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(3-fluoro-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(3,4,5-trifluoro-phenyl)-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(4-hydroxy-phenyl)-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(3,4-dimethoxy-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |

| | | |
|---|---|---|
| | 3-Amino-6-[4-(2-benzo[1,3]dioxol-5-yl-2-hydroxy-ethylamino)-piperidin-1-yl]-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-[4-(2-benzo[1,3]dioxol-4-yl-2-hydroxy-ethylamino)-piperidin-1-yl]-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(2,2-difluoro-benzo[1,3]dioxol-5-yl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(4-benzyloxy-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(4-morpholin-4-yl-phenyl)-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |

| | | |
|---|---|---|
| | 3-Amino-6-[4-(2-biphenyl-4-yl-2-hydroxy-ethylamino)-piperidin-1-yl]-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(4-pyridin-2-yl-phenyl)-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(4-pyridin-3-yl-phenyl)-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(4-pyridin-4-yl-phenyl)-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(4-pyrazin-2-yl-phenyl)-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |

| | | |
|---|---|---|
| | 3-Amino-6-{4-[2-hydroxy-2-(4-thiazol-2-yl-phenyl)-ethylamino]-piperidin-1-yl}-4-trifluoromethyl-thieno[2,3-*b*]pyridine-2-carboxylic acid amide |  |

or pharmaceutically acceptable salts, tautomers and isomers thereof.

28. A compound selected from the list consisting of:

| | | |
|---|---|---|
| | 3-Amino-6-[4-(2-hydroxy-2-phenyl-ethylamino)-piperidin-1-yl]-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-[4-((S)-2-hydroxy-2-phenyl-ethylamino)-piperidin-1-yl]-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-[4-((R)-2-hydroxy-2-phenyl-ethylamino)-piperidin-1-yl]-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |

| | | |
|---|---|---|
| | 3-Amino-6-{4-[2-hydroxy-2-(4-nitro-phenyl)-ethylamino]-piperidin-1-yl}-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(3-hydroxy-phenyl)-ethylamino]-piperidin-1-yl}-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(4-hydroxy-phenyl)-ethylamino]-piperidin-1-yl}-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(4-amino-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(4-methoxy-phenyl)-ethylamino]-piperidin-1-yl}-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |

| | | |
|---|---|---|
| | 3-Amino-6-{4-[2-(4-chloro-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 4-{2-[1-(3-Amino-2-carbamoyl-4-propyl-thieno[2,3-b]pyridin-6-yl)-piperidin-4-ylamino]-1-hydroxy-ethyl}-benzoic acid methyl ester |  |
| | 3-{2-[1-(3-Amino-2-carbamoyl-4-propyl-thieno[2,3-b]pyridin-6-yl)-piperidin-4-ylamino]-1-hydroxy-ethyl}-benzoic acid methyl ester |  |
| | 3-Amino-6-{4-[2-(4-carbamoyl-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-[4-(2-hydroxy-2-naphthalen-2-yl-ethylamino)-piperidin-1-yl]-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |

| | | |
|---|---|---|
| | 3-Amino-6-[4-(2-hydroxy-2-naphthalen-1-yl-ethylamino)-piperidin-1-yl]-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-hydroxy-2-(4-methylcarbamoyl-phenyl)-ethylamino]-piperidin-1-yl}-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(4-dimethylcarbamoyl-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(4-benzylcarbamoyl-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |
| | 3-Amino-6-{4-[2-(3-carbamoyl-phenyl)-2-hydroxy-ethylamino]-piperidin-1-yl}-4-propyl-thieno[2,3-b]pyridine-2-carboxylic acid amide |  |